Amendments to the Claims:

The following listing of claims will replace all prior versions, and listings, of claims in the application:

| 1. | (Currently Amended) An electro-optical device device, comprising: |
|---|--|
| | an electric power supply circuit; and |
| | a plurality of pixels, disposed in the form of a matrix, including electro-optical |
| devices driven | by receiving electric power from an the electric power supply circuit; |
| | wherein said the plurality of pixels make making up a plurality of pixel groups |
| formed of a se | ries of pixels arrayed in at least one direction of the row direction and the |
| column directi | on <u>. ÷</u> |
| | and wherein line forming regions are being formed between adjacent pixel |
| groups of said the plurality of pixel groups, ; | |
| | -and wherein saidthe line forming regions are being formed with generally the |
| same width. | |

2. (Currently Amended) An electro-optical device device, comprising: a plurality of scan lines;

a plurality of data lines;

a plurality of pixels, disposed at portions corresponding to intersections of said the scan lines and said the data lines, including electro-optical devices; and

a plurality of electric power lines <u>for supplyingto supply</u> driving voltage to <u>said-the</u> electro-optical devices;

wherein saidthe plurality of pixels make making up a plurality of pixel groups formed of a series of pixels arrayed in at least one direction of the row direction and the column direction,;

| | and wherein a plurality of line forming regions are being formed between |
|------------------|--|
| adjacent pixel | groups of said plurality of pixel groups, ; |
| | -and wherein at least two lines selected from at least one electric power line of |
| said-the plural | ity of electric power lines, at least one scan line of said the plurality of scan |
| lines, and at le | east one data line of said the plurality of data lines, are being formed in at least |
| one line formi | ng region of said the plurality of line forming regions. |
| 3. | (Currently Amended) An electro-optical device device, comprising: |
| | a plurality of scan lines; |
| | a plurality of data lines; |
| | a plurality of pixels, disposed at portions corresponding to intersections of said |
| the scan lines | and said-the data lines, including electro-optical devices; and |
| | a plurality of electric power lines for supplying to supply driving voltage to |
| said-the electr | o-optical devices; |
| | wherein saidthe plurality of pixels make making up a plurality of pixel groups |
| formed of a se | eries of pixels arrayed in at least one direction of the row direction and the |
| column direct | ion <u>, </u> |
| | and wherein a plurality of line forming regions are being formed between |
| adjacent pixel | groups of said-the plurality of pixel groups, ; |
| | -and wherein both at least one electric power line of said-the plurality of electric |
| power lines ar | nd at least one scan line of said the plurality of scan lines are being formed in at |
| least one line | forming region of said the plurality of line forming regions. |
| 4. | (Currently Amended) An electro-optical device device, comprising: |
| | a plurality of scan lines; |
| | a plurality of data lines; |

a plurality of pixels, disposed at portions corresponding to intersections of said the-scan lines and said-the-data lines, including electro-optical devices; and

a plurality of electric power lines for supplying to supply driving voltage to said-the electro-optical devices;

wherein saidthe plurality of pixels make making up a plurality of pixel groups formed of a series of pixels arrayed in at least one direction of the row direction and the column direction.;

and wherein a plurality of line forming regions are being formed between adjacent pixel groups of said plurality of pixel groups.;

and wherein both at least one electric power line of said the plurality of electric power lines and at least one data line of said the plurality of data lines are being formed in at least one line forming region of said the plurality of line forming regions.

- 5. (Currently Amended) An-The electro-optical device according to Claim 2, wherein saidthe line forming regions are being formed with generally the same width.
- 6. (Currently Amended) An-The electro-optical device according to Claim 1, wherein saidthe electro-optical devices are being operated with each different driving voltages;

and wherein saidthe electric power lines for supplying to supply voltage to said the electro-optical devices are being formed with different widths corresponding to said driving voltage.

7. (Currently Amended) An-The electro-optical device according to Claim 6, wherein saidthe electro-optical device is being a light-emission device;

and wherein saidthe electric power lines are being formed with different widths corresponding to the emission light color of said light-emission device.

- 8. (Currently Amended) An-The electro-optical device according to Claim 7, the color of the light which is to be emitted is-being at least one of red, green, or and blue.
- 9. (Currently Amended) An-The electro-optical device according to Claim 1, wherein saidthe electro-optical device is being an electro-luminescence device.
- 10. (Currently Amended) An electronic apparatus-apparatus, comprising:

 an-the electro-optical device according to Claim 1.

 11. (Currently Amended) A matrix substrate substrate, comprising:

 a plurality of pixel electrodes disposed in the form of a matrix,
 wherein said-the plurality of pixel electrodes make making up a plurality of pixel electrode groups formed of a series of pixel electrodes arrayed in at least one direction of the row direction and the column direction,
 and wherein a plurality of line forming regions are being formed between adjacent pixel electrode groups of said-the plurality of pixel electrode groups.;

 and wherein said-the line forming regions are being formed with generally the
 - 12. (Currently Amended) A matrix substrate-substrate, comprising: a plurality of scan lines;

same width.

a plurality of pixel electrodes disposed at portions corresponding to intersections of said-the scan lines and said-the data lines; and

a plurality of data lines;

a plurality of electric power lines for supplyingto supply voltage to said the plurality of pixel electrodes;

wherein saidthe plurality of pixel electrodes make making up a plurality of pixel electrode groups formed of a series of pixel electrodes arrayed in at least one direction of the row direction and the column direction.

adjacent pixel electrode groups of said the plurality of pixel electrode groups.;

——and wherein at least two lines selected from at least one electric power line of said the plurality of electric power lines, at least one scan line of said the plurality of scan lines, and at least one data line of said the plurality of data lines, are being formed in at least one line forming region of said the plurality of line forming regions.